

<p></p> <p> <p class="MsoNormal" style="margin-bottom: .0001pt; line-height: normal; tab-stops: 36.0pt 72.0pt 108.0pt 144.0pt 180.0pt 216.0pt 252.0pt 288.0pt 324.0pt 360.0pt 396.0pt 432.0pt 468.0pt 504.0pt; mso-layout-grid-align: none; text-autospace: none;">Recomand?ri pentru persoanele care vin din tarile afectate* de epidemia determinata de virusul Ebola: Guineea,Liberia, Sierra Leone, Nigeria </p> <p class="MsoNormal" style="margin-bottom: .0001pt; line-height: normal; tab-stops: 36.0pt 72.0pt 108.0pt 144.0pt 180.0pt 216.0pt 252.0pt 288.0pt 324.0pt 360.0pt 396.0pt 432.0pt 468.0pt 504.0pt; mso-layout-grid-align: none; text-autospace: none;"> </p> <p class="MsoNormal" style="margin-bottom: .0001pt; line-height: normal; tab-stops: 36.0pt 72.0pt 108.0pt 144.0pt 180.0pt 216.0pt 252.0pt 288.0pt 324.0pt 360.0pt 396.0pt 432.0pt 468.0pt 504.0pt; mso-layout-grid-align: none; text-autospace: none;">Ce este EBOLA?</p> <p class="MsoNormal" style="margin-bottom: .0001pt; line-height: normal; tab-stops: 36.0pt 72.0pt 108.0pt 144.0pt 180.0pt 216.0pt 252.0pt 288.0pt 324.0pt 360.0pt 396.0pt 432.0pt 468.0pt 504.0pt; mso-layout-grid-align: none; text-autospace: none;">Infectia cu virusul Ebola este originara din Africa si cauzeaza la om o boala severa numita ◆boala virala Ebola◆ (EVD). </p> <p class="MsoNormal" style="margin-bottom: .0001pt; line-height: normal; tab-stops: 36.0pt 72.0pt 108.0pt 144.0pt 180.0pt 216.0pt 252.0pt 288.0pt 324.0pt 360.0pt 396.0pt 432.0pt 468.0pt 504.0pt; mso-layout-grid-align: none; text-autospace: none;"> </p> <p class="MsoNormal" style="margin-bottom: .0001pt; line-height: normal; tab-stops: 36.0pt 72.0pt 108.0pt 144.0pt 180.0pt 216.0pt 252.0pt 288.0pt 324.0pt 360.0pt 396.0pt 432.0pt 468.0pt 504.0pt; mso-layout-grid-align: none; text-autospace: none;"><span style="font-size:

Care sunt simptomele de

?

Debutul simptomelor EVD

este brusc si include simptome asemanatoare gripei cum ar fi: febra, dureri musculare, mialgii, astenie fizica, cefalee, dureri de gat.

Ulterior, pot ap

?

Mai tarziu, **in** faza de stare a bolii, **apar** manifestarile hemoragice si disfunctia organica, in special cea hepatica si renala. Unele cazuri pot prezenta sangerare profuza interna, ca urmare a coagularii intravasculare diseminate.

?

Perioada de incubatie

mso-fareast-language: ES-TRAD;" lang="ES-TRAD">este 4-10 zile, dar poate varia de la 2 la 21 de zile. </p> <p class="MsoNormal" style="margin-bottom: .0001pt; line-height: normal; tab-stops: 36.0pt 72.0pt 108.0pt 144.0pt 180.0pt 216.0pt 252.0pt 288.0pt 324.0pt 360.0pt 396.0pt 432.0pt 468.0pt 504.0pt; mso-layout-grid-align: none; text-autospace: none;"></p> <p class="MsoNormal" style="margin-bottom: .0001pt; line-height: normal; tab-stops: 36.0pt 72.0pt 108.0pt 144.0pt 180.0pt 216.0pt 252.0pt 288.0pt 324.0pt 360.0pt 396.0pt 432.0pt 468.0pt 504.0pt; mso-layout-grid-align: none; text-autospace: none;">Cum se transmite EBOLA ?</p> <p class="MsoNormal" style="margin-bottom: .0001pt; line-height: normal; tab-stops: 36.0pt 72.0pt 108.0pt 144.0pt 180.0pt 216.0pt 252.0pt 288.0pt 324.0pt 360.0pt 396.0pt 432.0pt 468.0pt 504.0pt; mso-layout-grid-align: none; text-autospace: none;"></p> <p class="MsoNormal" style="line-height: normal; tab-stops: 36.0pt 72.0pt 108.0pt 144.0pt 180.0pt 216.0pt 252.0pt 288.0pt 324.0pt 360.0pt 396.0pt 432.0pt 468.0pt 504.0pt; mso-layout-grid-align: none; text-autospace: none;">Virusul Ebola se transmite cu mare usurinta direct prin contact cu sangele infectat, secretii, tesuturi si organe sau fluide corporale ale persoanelor infectate, vii sau moarte. Ceremoniile funerare sunt cunoscute ca au rol in transmitere prin manipularea cadavrelor. Transmiterea prin contact sexual poate avea loc pana la sapte saptamani dupa recuperarea cl◆ica. </p> <p class="MsoNormal" style="line-height: normal; tab-stops: 36.0pt 72.0pt 108.0pt 144.0pt 180.0pt 216.0pt 252.0pt 288.0pt 324.0pt 360.0pt 396.0pt 432.0pt 468.0pt 504.0pt; mso-layout-grid-align: none; text-autospace: none;">Recomand?ri pentru persoanele care se ◆torc din ??rile afectate:</p> <p class="MsoNormal" style="line-height: normal; tab-stops: 36.0pt 72.0pt 108.0pt 144.0pt 180.0pt 216.0pt 252.0pt 288.0pt 324.0pt 360.0pt 396.0pt 432.0pt 468.0pt 504.0pt; mso-layout-grid-align: none; text-autospace: none;">Dac<span style="font-size: 12.0pt; font-family:

"Arial";"sans-serif"; mso-fareast-font-family: "Times New Roman"; mso-ansi-language: ES-TRAD; mso-fareast-language: ES-TRAD;" lang="ES-TRAD">? prezentati febra, oboseala inexplicabila, diaree sau orice alt semn/simptom sever (hemoragii inexplicabile, diaree cu sange, hemoragii la nivelul gingiilor, pielii, ochilor sau in urina) care apare in decurs de 21 zile de la data plecarii din una din tarile mentionate mai sus si/sau daca ati venit in contact direct cu secretii/fluide provenind de la o persoana/animal, inclusiv intretinerea de relatii sexuale neprotejate cu persoane care au fost bolnave chiar daca s-au vindecat, va recomandam:</p>
 <p class="MsoNormal" style="margin-bottom: .0001pt; line-height: normal; tab-stops: 36.0pt 72.0pt 108.0pt 144.0pt 180.0pt 216.0pt 252.0pt 288.0pt 324.0pt 360.0pt 396.0pt 432.0pt 468.0pt 504.0pt; mso-layout-grid-align: none; text-autospace: none;">1.S? v? prezenta?i de urgenta la Serviciul medical al Aeroportului /portului, sau la un spital de boli infectioase ?i s? men?iona?i istoricul c?!?torie, deoarece poate fi vorba despre o

infec

"Arial";"sans-serif"; mso-fareast-font-family: "Times New Roman"; mso-ansi-language: ES-TRAD; mso-fareast-language: ES-TRAD;" lang="ES-TRAD">?ie care necesit? control si tratament medical de urgen??.</p><p class="MsoNormal" style="margin-bottom: .0001pt; line-height: normal; tab-stops: 36.0pt 72.0pt 108.0pt 144.0pt 180.0pt 216.0pt 252.0pt 288.0pt 324.0pt 360.0pt 396.0pt 432.0pt 468.0pt 504.0pt; mso-layout-grid-align: none; text-autospace: none;"></p><p class="MsoNormal" style="margin-bottom: .0001pt; line-height: normal; tab-stops: 36.0pt 72.0pt 108.0pt 144.0pt 180.0pt 216.0pt 252.0pt 288.0pt 324.0pt 360.0pt 396.0pt 432.0pt 468.0pt 504.0pt; mso-layout-grid-align: none; text-autospace: none;">2.S? contacta?i, dac? este posibil, telefonic unitatea medical? si Serviciul 112 ◆ainte de a v? prezenta la control, pentru a permite personalului medical s? utilizeze mijloace de protec?ie adecvate la momentul intern?rii.</p></p>